

Bobber

TX	v5.08 — 44822:23564	Pilot	Bob
Rx1	42613:32783	Name	Flugzeug
Rx2	42613:32816	Fläche	4 Ailerons
CBOX210	43557:16757	Leitwerk	3
		Motor	1
		Klappen	2
		Flugzeit	23h 32m

- Flugphasen

ID	Name	Schalter	Verz.	Audio	
1	Landung	Standard	12	F_LAND~1.WAV	
2	Normal	P5	12	F_NORMAL.WAV	
3	Start	P5	12	F_START.WAV	

- Funktionen (Steuereingaben)

ID	Name	Steuerung	Trim	D/R	Expo
1	Quer	P1	—	ja	ja
2	Höhe	P3	—	ja	ja
3	Seite	P4	—	ja	ja
4	Drossel	P2	—	ja	ja
6	Klappen	P5	—	ja	ja
14	Licht	P6	—	ja	ja
15	Stknüppel 1	—	—	ja	ja
16	Motor Starter	Sc mitte	—	ja	ja
17	Zündung	Sd mitte	—	ja	ja
18	Wind NOTABWURF	Sf mitte	—	ja	ja
19	Winde Motor	Sg mitte (inv)	—	ja	ja
21	Stknüppel 2	—	—	ja	ja

- Expo & D/R pro Funktion / Flugphase

Funktion	Phase	Expo+	Expo-	D/R+	D/R-	Sym	D/R	
Quer	Standard	0%	0%	100%	100%	ja	—	
Quer	Landung	0%	0%	100%	100%	ja	—	
Quer	Normal	0%	0%	100%	100%	ja	—	
Höhe	Standard	10%	10%	50%	50%	ja	—	
Höhe	Landung	10%	10%	50%	50%	ja	—	
Höhe	Normal	10%	10%	50%	50%	ja	—	
Seite	Standard	0%	0%	100%	100%	ja	—	
Seite	Landung	0%	0%	100%	100%	ja	—	
Seite	Normal	0%	0%	100%	100%	ja	—	
Drossel	Standard	0%	0%	100%	100%	ja	Sd unten	
Drossel	Landung	0%	0%	100%	100%	ja	Sd unten	
Drossel	Normal	0%	0%	100%	100%	ja	Sd unten	
Klappen	Standard	0%	0%	100%	100%	ja	—	
Klappen	Landung	0%	0%	100%	100%	ja	—	
Klappen	Normal	0%	0%	100%	100%	ja	—	
Licht	Standard	0%	0%	100%	100%	ja	—	
Licht	Landung	0%	0%	100%	100%	ja	—	
Licht	Normal	0%	0%	100%	100%	ja	—	
Stknüppel 1	Standard	0%	0%	100%	100%	ja	—	
Stknüppel 1	Landung	0%	0%	100%	100%	ja	—	
Stknüppel 1	Normal	0%	0%	100%	100%	ja	—	
Motor Starter	Standard	0%	0%	100%	100%	ja	—	
Motor Starter	Landung	0%	0%	100%	100%	ja	—	
Motor Starter	Normal	0%	0%	100%	100%	ja	—	
Zündung	Standard	0%	0%	100%	100%	ja	—	
Zündung	Landung	0%	0%	100%	100%	ja	—	
Zündung	Normal	0%	0%	100%	100%	ja	—	
Wind NOTABWURF	Standard	0%	0%	100%	100%	ja	—	
Wind NOTABWURF	Landung	0%	0%	100%	100%	ja	—	
Wind NOTABWURF	Normal	0%	0%	100%	100%	ja	—	
Winde Motor	Standard	0%	0%	100%	100%	ja	—	
Winde Motor	Landung	0%	0%	100%	100%	ja	—	
Winde Motor	Normal	0%	0%	100%	100%	ja	—	
Stknüppel 2	Standard	0%	0%	100%	100%	ja	—	
Stknüppel 2	Landung	0%	0%	100%	100%	ja	—	
Stknüppel 2	Normal	0%	0%	100%	100%	ja	—	

- Servos

Servo	Funktion	Rev	Mitte	Max+	Max-	Limit+	Limit-	Failsafe
1	Motor	nein	0	42%	-54%	42%	-54%	0
2	Ail 2	ja	3	86%	-58%	86%	-58%	0
3	Flap 2	nein	0	100%	-67%	100%	-70%	0
4	Rudder	ja	-34	63%	-74%	74%	-81%	0
5	Wind NOTABWURF	ja	5	120%	-120%	125%	-125%	0
6	Winde Motor	nein	0	100%	-100%	125%	-125%	0
7	Licht	nein	-9	52%	-51%	125%	-125%	0
8	Stknüppel 2	nein	40	40%	-40%	125%	-125%	0
9	Elevator	ja	4	90%	-77%	125%	-125%	0
10	Flap 1	nein	0	83%	-86%	90%	-86%	0
11	Ail 1	ja	0	62%	-91%	62%	-91%	0
12	Elevator 2	nein	-1	87%	-79%	125%	-125%	0
13	Stknüppel 1	nein	-40	50%	-50%	125%	-125%	0
14	Zündung	ja	0	100%	-100%	125%	-125%	0
15	Motor Starter	nein	0	100%	-100%	125%	-125%	0

- Mischungen

Master	Slave	Phase	Intensität	Richtung	Schalter
Klappen	Licht	Alle	-100%	-	immer
Höhe	Stknüppel 1	Alle	70%	-	immer
Höhe	Stknüppel 2	Alle	-80%	-	immer
Quer	Stknüppel 1	Alle	50%	+	immer
Quer	Stknüppel 2	Alle	50%	+	immer
Drossel	Höhe	Alle	0%	-	immer

- Ereignis-Sounds

Audiodatei	Schalter	Verz.	Wdh.
T_ERROR.WAV	Sc oben	10	1
AB004.WAV	Sg unten	0	1
MOTOR_~1.WAV	Sd unten	0	0
MOTORA~1.WAV	Sd oben	0	0

- Timer

Name	Zeit	Schalter	Reset-Schalter
Zündung an	0:00	Sd unten	Sb unten

- Alarme

Audiodatei	Bedingung	Schalter	Wdh.
NIEDRIAK.WAV	< 4.50	immer	1
	< 7.1	immer	1
	< 7.1	immer	1

- Sensoren

Sensor-ID	Param	Name	Bedingung
CBOX210 0x4175AA25	1 (V)	U Accu 1	—
	2 (V)	U Accu 2	—
	3 (A)	I Accu 1	—
	4 (A)	I Accu 2	—
	5 (mAh)	Capacity 1	—
	6 (mAh)	Capacity 2	—
	7 (°C)	Temperatur	—