

STAR RANGER

Modellbeschreibung





TABLE OF CONTENTS

Grundeinstellungen	2
---------------------------	----------


Flugphasentrim	3
-----------------------	----------

Flugphasentrim	4
-----------------------	----------



Grundeinstellungen

Taumelscheibe: 3 Servos (Std. 120°)



Nickservoposition:

Winkel: 120° Drehung: 0°

Anlenkungslänge:100% 100% 100% 100%

Governor Gyro2 Gyro3

Autotrimm-Schalter: ...

Trainerschalter: ...

Funktions- und Geberzuordnung

Funktion	Geber	Trim.Geber	MaxTrim
Drossel	P4	...	50%
Roll	P1	...	50%
Nick	P2	...	50%
Pitch	P4	...	50%
Heck	P3	...	50%
Gyroempf.	Sb	...	50%

Servozuordnung

Kanal	Servo	Rev.	Mitte	Max-Pos	Max-Neg	Pos-Limit	Neg-Limit
1	TS (3R)	<input checked="" type="checkbox"/>	40%	100%	-79%	125%	-125%
2	TS (1F)	<input checked="" type="checkbox"/>	-14%	89%	-89%	150%	-150%
3	Drossel	<input type="checkbox"/>	0%	100%	-100%	125%	-125%
4	Heck	<input type="checkbox"/>	0%	100%	-100%	125%	-125%
5	Gyroempfan	<input checked="" type="checkbox"/>	0%	100%	-100%	125%	-125%
6	TS (2L)	<input type="checkbox"/>	-7%	100%	-100%	150%	-150%

Flugphasen

Nr.	Name	Verzög.	Switch	Audio
1	Standard	0.0s...		F_NORMAL.WAV
2	Autorot.	0.0s	Sj,unten	F_AUTO~1.WAV
3	Idle 3	0.0s...		
4	Idle 2	2.0s	Sc,oben	2.wav
5	Idle 1	6.0s	Sc,Mitte	1.wav

Flugphasentrim

Standard

Funktion	S1	S2	S3	S4
Drossel	0%			
Roll	0%			
Nick	0%			
Pitch	0%			
Heck	0%			
Gyroempf.	0%			

Auterot.

Funktion	S1	S2	S3	S4
Drossel	0%			
Roll	0%			
Nick	0%			
Pitch	0%			
Heck	0%			
Gyroempf.	0%			

Idle 3

Funktion	S1	S2	S3	S4
Drossel	0%			
Roll	0%			
Nick	0%			
Pitch	0%			
Heck	0%			
Gyroempf.	0%			

Idle 2

Funktion	S1	S2	S3	S4
Drossel	0%			
Roll	0%			
Nick	0%			
Pitch	0%			
Heck	0%			
Gyroempf.	0%			

Idle 1

Funktion	S1	S2	S3	S4
Drossel	0%			

Flugphasentrim

Funktion	S1	S2	S3	S4
Roll	0%			
Nick	0%			
Pitch	0%			
Heck	0%			
Gyroempf.	0%			

